


**sij**

**BRAND VISUAL IDENTITY  
SIJ GROUP**

**NOVEMBER 2016**



# CONTENT

## 1... BRAND VISUAL IDENTITY

### 1... SIJ GROUP

2... CONTENT

## 3... BRAND DEVELOPMENT

4... BRAND NAMES FORMATION  
5... BRAND NAMES AND THEIR POSITIONING  
6... VIAUL BASE FOR BRAND LOGOS DEVELOPMENT  
8... VIAUL LOGO HIERARCHY

## 9... GRID LAYOUT, CLEAR SPACE AND SIZES

10... BRAND LOGOS GRID LAYOUT  
11... BRAND LOGOS CLEAR SPACE  
12... BIGGEST AND SAMLLEST BRANDS LOGOS SIZE OF USE

## 13... TYPEFACES

14... THE PRIMARY TYPEFACE  
15... JOHNSTON BOLD ADJUSTMENT FOR BRANDS LOGOS USAGE  
16... THE SECONDARY TYPEFACE → PRINTED MATERIAL  
17... THE SECONDARY TYPEFACE → WEB MATERIAL

## 18... COLOR SYSTEMS

19... THE PRIMARY COLOR SYSTEM  
20... SECONDARY PROMOTIONAL COLOR SYSTEM  
21... BRANDS COLOR VALUES  
22... SECONDARY PROMOTIONAL COLOR SYSTEM

## 23... STRUCTURE OF PROMOTIONAL MATERIALS

24... LAYERS OF COMMUNICATIONAL ELEMENTS  
25... APPLICATION SIZES  
26... PHOTO MATERIAL POSITIONING  
27... FORMAT BORDER CLEAR SPACE  
28... PHOTO MATERIAL AND FORMAT BORDER CLEAR SPACE  
29... FORMAT GRID LAYOUT  
30... TEXTS APPLICATION ON PHOTO MATERIAL  
31... FORMAT DISTIBUTION ON PHOTO AND OTHER VISUALS SEGMENTS  
32... PHOTO MATERIAL VERSUS TEXT FORMAT DISTRIBUTION  
33... TEXT SPACE BORDER CLEAR SPACE GRID LAYOUT  
34... TEXT TITLE SIZES

## 38... PHOTO MATERIAL SELECTION GUIDELINES

39... PHOTO MATERIAL TYPES  
40... PHOTO SELECTION GUIDELINES

## 41... ADDITIONAL VISUAL ELEMENTS

42... PICTOGRAMS  
43... MAPS AND LOCATIONS  
44... INFOGRAPHICS  
45... TABLES AND GRAPHS

## 46... PROMOTIONAL MATERIALS CORPO LOGO POSITIONING

47... SIZE AND POSITION OF A SIJ AND COMPANY LOGOS

## 48... BRAND LOGOS

49... SIMOLD  
50... SIDUR  
51... SITHERM  
52... SIQUAL  
53... SICLAD  
54... SIPREME  
55... SIHARD  
56... SILABS  
57... SINOXX  
58... SIRAPID  
59... SIWATT  
60... SIMAXX

## 61... CO-EXISTANCE OF BRAND LOGOS

62... HORIZONTAL CO-EXISTANCE OF BRAND LOGOS  
63... VERTICAL CO-EXISTANCE OF BRAND LOGOS  
64... CO-EXISTANCE OF BRAND LOGOS ON COLOR BACKGROUNDS  
65... CO-EXISTANCE OF BRAND LOGOS WITH EXPLANATIONS ON COLOR BACKGROUNDS  
66... GRID LAYOUT OF CO-EXISTANCE  
68... GRID LAYOUT AND POSITION OF INDIVIDUAL BRAND IN CO-EXISTANCE  
69... APPLICATIONS GRID LAYOUT  
70... EXAMPLES OF BRANDS GRID USAGE

## 71... QUALITY MARK

72... CORPORATE SLOGAN  
73... THREE DOTS  
74... QUALITY MARK POSITIONING AND USE

## 75... BASIC STATIONARY SET

76... BUSINESS CARDS  
77... LETTERHEAD

## 78... PROMOTIONAL MATERIALS

79... BRANDS GROUPS CATALOGUES  
82... INVITATION/LEAFLET  
83... BRANDS NOTEBOOK - INNER PAGES  
84... BRANDS NOTES  
85... SIJ BRAND PROMOTION PAPER BAG  
86... BRANDS PROMOTIONAL PAPER BAG  
87... INDIVIDUAL BRAND PROMOTIONAL PAPER BAG - POSITIONING  
89... ROLL-UP STAND  
94... PROMOTIONAL MAPS  
95... PROMOTIONAL HATS  
96... PROMOTIONAL T-SHIRTS

## 97... WEB PRESENCE

98... WWW.SIJ.SI HEADER  
100... WEB BANNER  
103... E-MAIL SIGNATURE

## 104... MARKETING

105... PRODUCT BRAND AD  
107... MULTIPLE BRAND PRODUCT AD  
109... TRANSPORTATION

## 111... BRANDS LOGOS USAGE ON EXTERNAL PARTNERS AND PROMOTORS MATERIALS

112... ALLOWED BRANDS LOGOS USAGE IN EXTERNAL APPEARANCE  
113... CLEAR SPACE IN EXTERNAL APPEARANCE  
115... NON-PERMITTED USAGE ON EXTERNAL MATERIALS

## **BRAND DEVELOPMENT**



## BRAND NAMES FORMATION

**SI + CORE = BRAND NAME**

### SI

- is association on sij company name
- is prefix which differs from the competition
- allows easier brand registration
- is element that connects all brands into one brand family

### CORE WORD

- that represents basic ingredient
- that best describes material features
- that helps potential buyer to signify the product
- is element that differentiate sij brands



## BRAND NAMES AND THEIR POSITIONING

STAINLESS

**SINOXX**

SI + INOX + EXTRA X

NICKEL ALLOYS

**SIPREME**

SI+ PREMIUM

PLASTIC TOOL

**SIMOLD**

SI + MOLDING

HOT WORK

**SITHERM**

SI + TEMPERATURE

COLD WORK

**SIHARD**

SI + HARDNESS

HIGH SPEED

**SIRAPID**

SI + RAPID

WEAR RESISTANT

**SIDUR**

SI + DURABILITY

HIGH STRENGHT

**SIMAXX**

SI + MAXIMUM

CLAD

**SICLAD**

SI + CLAD

GENERIC

**SIQUAL**

SI + QUALITY

LABORATORIES

**SILABS**

SI + LABORATORIES



## VIAUL BASE FOR BRAND LOGOS DEVELOPMENT

**sij**

---

**sij** | group

**sij** | skupina

---

**sij** | company name



**sij<sup>•</sup>** → **sij<sup>•</sup>** + **sij<sup>•</sup>**

---

**SI** + **NAME** + **...**

---

**SINAME<sup>•••</sup>**





## VIAUL LOGO HIERARCHY

1

sij<sup>•</sup>


2

SINOXX<sup>•••</sup>


3

sij<sup>•</sup> | company name

**GRID LAYOUT, CLEAR SPACE  
AND SIZES**



## BRAND LOGOS GRID LAYOUT





## BRAND LOGOS CLEAR SPACE





## BIGGEST AND SAMLLEST BRANDS LOGOS SIZE OF USE



Višina minimalne dovoljene velikosti uporabe:

→ smallest logo size is 5 mm



→ smalles logo size with added descriptions is 15 mm

Bigest brands logos size is not defined.

sidur



## TYPEFACES



## THE PRIMARY TYPEFACE

### ITC JOHNSTON LIGHT

ABCČDEFGHIJKLMN  
OPQRSŠTUVWXYZŽ  
abcčdefghijklmnopqr  
sštuvwxyzž  
0123456789.,;?! #@€\$&%()\*

### ITC JOHNSTON MEDIUM

ABCČDEFGHIJKLMN  
OPQRSŠTUVWXYZŽ  
abcčdefghijklmnopqr  
sštuvwxyzž  
0123456789.,;?! #@€\$&%()\*

### ITC JOHNSTON BOLD

**ABCČDEFGHIJKLMN**  
**OPQRSŠTUVWXYZŽ**  
**abcčdefghijklmnopqr**  
**sštuvwxyzž**  
**0123456789.,;?! #@€\$&%()\***



THE PRIMARY TYPEFACE IS ONLY USED FOR LOGOS OF THE SIJ GROUP AND THE MEMBER COMPANIES THAT BELONG TO THE SIJ GROUP (the letter format of the word SIJ and the names of the companies that belong next to the name of the group: Acroni, Metal ravne, Elektrode, SUZ, Serpa ...).

The primary typeface is the same as it was during the redesign of the entire visual identity of SIJ 10 years ago. **THE TYPEFACE "JOHNSTON" WAS ADJUSTED IN THE LAST REDESIGN.**



**JOHNSTON BOLD  
ADJUSTMENT FOR BRANDS  
LOGOS USAGE**

DUR MOLD NOXX



**DUR MOLD NOXX**



## THE SECONDARY TYPEFACE → PRINTED MATERIAL

### CALIBRI REGULAR

ABCČDEFGHIJKLMNOPQRSŠTUVWXYZŽ  
 abcčdefghijklmnopqrsštuvwxyzž  
 0123456789.,;?!#@¤\$&%()\*

### CALIBRI ITALIC

*ABCČDEFGHIJKLMNOPQRSŠTUVWXYZŽ*  
*abcčdefghijklmnopqrsštuvwxyzž*  
*0123456789.,;?!#@¤\$&%()\**

### CALIBRI BOLD

**ABCČDEFGHIJKLMNOPQRSŠTUVWXYZŽ**  
**abcčdefghijklmnopqrsštuvwxyzž**  
**0123456789.,;?!#@¤\$&%()\***

### CALIBRI BOLD ITALIC

***ABCČDEFGHIJKLMNOPQRSŠTUVWXYZŽ***  
***abcčdefghijklmnopqrsštuvwxyzž***  
***0123456789.,;?!#@¤\$&%()\****



**THE SECONDARY TYPEFACE (OR TEXT TYPEFACE)** is used for all text/data sets of the entire visual identity of the SIJ Group and all its member companies. It is used in all print materials. This includes basic corporate printed material (business cards, letters, documents and envelopes), all forms of promotional material (different printed material - leaflets, posters, brochures ...) as well as in corporate communication material for the internal and external reporting of the SIJ Group and all its member companies (PowerPoint presentations, graphs, reports ...).

The secondary typeface “Calibri” is a systemic typeface of the operating environment Windows and is free to use in the Windows environment. The SIJ Group and all its member companies use the Windows environment. By leasing the operating system they also received a license to use the typeface.



## THE SECONDARY TYPEFACE → WEB MATERIAL

### OPEN SANS REGULAR

ABCČDEFGHIJKLMNOPQRSŠTUVWXYZŽ  
abcčdefghijklmnopqrsštuvwxyzž  
0123456789.,;?!#@¤\$&%()\*

### OPEN SANS ITALIC

ABCČDEFGHIJKLMNOPQRSŠTUVWXYZŽ  
abcčdefghijklmnopqrsštuvwxyzž  
0123456789.,;?!#@¤\$&%()\*

### OPEN SANS SEMIBOLD

ABCČDEFGHIJKLMNOPQRSŠTUVWXYZŽ  
abcčdefghijklmnopqrsštuvwxyzž  
0123456789.,;?!#@¤\$&%()\*

### OPEN SANS SEMIBOLD ITALIC

**ABCČDEFGHIJKLMNOPQRSŠTUVWXYZŽ**  
*abcčdefghijklmnopqrsštuvwxyzž*  
**0123456789.,;?!#@¤\$&%()\***

### OPEN SANS EXTRABOLD

**ABCČDEFGHIJKLMNOPQRSŠTUVWXYZŽ**  
**abcčdefghijklmnopqrsštuvwxyzž**  
**0123456789.,;?!#@¤\$&%()\***

### OPEN SANS EXTRABOLD ITALIC

**ABCČDEFGHIJKLMNOPQRSŠTUVWXYZŽ**  
*abcčdefghijklmnopqrsštuvwxyzž*  
**0123456789.,;?!#@¤\$&%()\***






**THE SECONDARY TYPEFACE (OR ONLINE TYPEFACE)** is used for all text/data sets of the entire SIJ visual identity and all its member companies published online. It is used for all the text sets of the websites of the SIJ Group and its companies in internal online communication (intranet, SharePoint ...) as well as in promotional materials of the SIJ Group and its companies which only occur in digital form (newsletter). The use of the selected typeface is also predicted for the potential development of mobile or online applications within the SIJ Group or individual companies.

The secondary web specified typeface “Open Sans” belongs to the Google Fonts set and is free to use on websites and in other virtual environments. In doing so the SIJ Group and its companies are not limited by licenses that allow only a certain number of monthly website views for a licensed financial compensation, which would be a required payment in the event of an increase in visits.

## COLOR SYSTEMS



## THE PRIMARY COLOR SYSTEM



The color system is defined by primary colors which have been used in the visual identity **FOR 10 YEARS → BLUE AND SILVER** and their shades. The only modification is merely the replacement of the surface coloring of the basic visual element of the SIJ Group, the logo.

Before redesign, the companies which are part of the group used a wide range of color shades. These shades have now been unified by the primary color appearance of the whole group.

The feature of primary color determination is the definition of a silver metallic shade, which will add a greater quality appearance to the materials. Silver is used in the basic elements of the Group and its member companies, as well as in all corporate and promotional printed material, and it contributes to a greater quality appearance of the designed communication materials.



**SIMOLD**...

**SIDUR**...

**SITHERM**...

**SIQUAL**...

**SICLAD**...

**SIPREME**...

**SI**

**SIHARD**...

**SILABS**...

**SIRAPID**...

**SINOXX**...

**SIWATT**...

**SIMAXX**...

## SECONDARY PROMOTIONAL COLOR SYSTEM

**SIMOLD YELLOW**

Pantone 143C oz. Pantone 116U  
CMYK 0,36,87,0  
RGB 238,175,48  
HEX #EEAF30

**SIMOLD\*\*\*****SIDUR ORANGE**

Pantone 158C oz. Pantone 151U  
CMYK 0,65,95,0  
RGB 227,114,34  
HEX #E37222

**SIDUR\*\*\*****SIQUAL BORDO**

Pantone 194C oz. Pantone 187U  
CMYK 10,100,55,39  
RGB 151,35,63  
HEX #97233F

**SIQUAL\*\*\*****SICLAD PINK**

Pantone 233C oz. Pantone 226U  
CMYK 12,100,0,0  
RGB 197,0,132  
HEX #C50084

**SICLAD\*\*\*****SIHARD BLUE**

Pantone 299C oz. Pantone 2995U  
CMYK 86,8,0,0  
RGB 0,161,222  
HEX #00A1DE

**SIHARD\*\*\*****SINOXX GREEN YELLOW**

Pantone 382C oz. Pantone 388U  
CMYK 34,0,100,0  
RGB 190,214,0  
HEX #BED600

**SINOXX\*\*\*****SITHERM RED**

Pantone 199C oz. Pantone Red 32U  
CMYK 0,100,69,0  
RGB 208,16,58  
HEX #

**SITHERM\*\*\*****SIPREME VIOLET**

Pantone 2593C oz. Pantone 2602U  
CMYK 67,92,0,0  
RGB 128,55,155  
HEX #80379B

**SIPREME\*\*\*****SIRAPID TURQUOISE**

Pantone 3272C,U  
CMYK 100,0,48,0  
RGB 0,165,153  
HEX #00A599

**SIRAPID\*\*\*****SIMAXX DARK GREEN**

Pantone 3415C  
CMYK 98,10,84,18  
RGB 0,122,77  
HEX #007A4D

**SIMAXX\*\*\*****BRANDS COLOR VALUES****SIJ SILVER**


Pantone 8402C,U  
CMYK 0,0,0,65  
RGB 100,100,100  
HEX #646464

RAL 7005

**SI**




## SECONDARY PROMOTIONAL COLOR SYSTEM



## **STRUCTURE OF PROMOTIONAL MATERIALS**




# LAYERS OF COMMUNICATIONAL ELEMENTS



- DISPLAY:
  - size
  - grid system
  - photos (if necessary)
  - extra visual elements (logotypes, textures, icons, pictogramms ... )
  - textural elements (content)






## APPLICATION SIZES









## PHOTO MATERIAL POSITIONING

**DISPLAY:**

- landscape format orientation
- portrait format orientation





## FORMAT BORDER CLEAR SPACE

In materials with either landscape or portrait orientation we define format border clear space. Within this space there is not permitted to use any kind of visual elements (text, logos, icons ...)

Photo material can be positioned from border to border.

Format border clear space is defined as  
→ in landscape materials **defined with square in a size of 1/18 of format height**  
→ in portrait materials **defined with square in a size of 1/27 of format height**




## PHOTO MATERIAL AND FORMAT BORDER CLEAR SPACE

PHOTOS CAN BE POSITIONED FROM BORDER TO BORDER OF ALL DIFFERENT MATERIAL APPLICATIONS.



## FORMAT GRID LAYOUT



### DISPLAY:

- grid layout is divided by the rule of thirds




## TEXTS APPLICATION ON PHOTO MATERIAL









## FORMAT DISTRIBUTION ON PHOTO AND OTHER VISUALS SEGMENTS






## PHOTO MATERIAL VERSUS TEXT FORMAT DISTRIBUTION



## TEXT SPACE BORDER CLEAR SPACE GRID LAYOUT





## TEXT TITLE SIZES

**Text size 1** Lorem ipsum dolor sit  
amet ... Calibri Regular, **Bold**,

*Italic* or ***Bold Italic***



**Lorem ipsum dolor sit amet, consectetur adipiscing elit. Nam non scelerisque risus, sit amet fringilla ante. Vestibulum ante ipsum...**



**Text size 2 ... Calibri Regular,  
**Bold**, *Italic* or ***Bold Italic*****

**Text size 3 ... Calibri Regular, **Bold**,  
*Italic* or ***Bold Italic*****

**Text size 4 ... Calibri Regular, **Bold**,  
*Italic* or ***Bold Italic*****

**Text size 3 ... Calibri Regular, **Bold**,  
*Italic* or ***Bold Italic*****

**Text size 4 ... Calibri Regular, **Bold**,  
*Italic* or ***Bold Italic*****



## **Lorem ipsum dolor sit amet, consectetur adipiscing elit. Nam non scelerisque risus, sit amet fringilla ante. Vestibulum ante ipsum primis in faucibus orci luctus et ultrices posuere cubilia Curae; Nullam sollicitudin suscipit pellentesque...**

Nullam ac eros sed leo malesuada pulvinar. Suspendisse nulla nisi, interdum sed risus vel, volutpat vestibulum quam. Cras quis neque rhoncus, placerat enim quis, consectetur odioloosi.

Nullam ac eros sed leo malesuada pulvinar. Suspendisse nulla nisi, interdum sed risus vel, volutpat vestibulum quam. Duis pharetra nibh vitae metus euismod mattis.

Nullam ac eros sed leo malesuada pulvinar. Suspendisse nulla nisi, interdum sed risus vel, volutpat vestibulum quam. Cras quis neque rhoncus, placerat enim quis, consectetur odio. Duis pharetra nibh vitae metus euismod mattis. Fusce neque nunc, molestie vel elementum et, consectetur eu quam. In sem massa, dictum eget purus ac, vehicula porta purus. Proin finibus ornare massa, ut finibus nulla congue nec. Nulla sit amet semper diam. Nullam vel ullamcorper ligula, sed tincidunt nulla.

## **PHOTO MATERIAL SELECTION GUIDELINES**



## PHOTO MATERIAL TYPES





## PHOTO SELECTION GUIDELINES



FOTO 1



FOTO 2




FOTO 3




FOTO 4



FOTO 5



FOTO 6




FOTO 7



FOTO 8



FOTO 9

## **ADDITIONAL VISUAL ELEMENTS**



## PICTOGRAMS




**sij<sup>•</sup> | skupina**

SIJ d.d.  
Gerbičeva 98  
SI-1000 Ljubljana, Slovenia, EU

+386 1 242 98 00  
info@sij.si  
www.sij.si

COMPANY NO. | MATIČNA ŠT.: 5046432000  
VAT NO. | ID ZA DDV: SI51018535



## MAPS AND LOCATIONS

SIJ MWT,  
LANDSBERG AM LECH, DE

SIJ METAL RAVNE,  
RAVNE NA KOROŠKEM, SI

SIJ ACRONI,  
JESENICE, SI



SIJ SIDERTOCE  
GRAVELONA TOCE VB, IT

SIJ RAVNE STEEL CENTER  
LJUBLJANA, SI

ORO MET,  
PIVKA, SI



## INFOGRAPHICS





## MECHANICAL PROPERTIES\*



	Yield strength (minimal) Re (MPa)	Tensile strength Rm (MPa)	Elongation (minimal) A5 (%)	Charpy V-Notch	
SIDUR 250	750	940	15	-20°C 30J	SIDUR 350 hi temp
SIDUR 300	820	1030	15	-20°C 30J	Min. 300HB
SIDUR 400	900	1300	12	-20°C 30J	Normalized
SIDUR 450	1100	1450	10	-20°C 30J	
SIDUR 500	1300	1650	8	-20°C 25J	
SIDUR 350 hi temp	660	1000	10	-20°C 27J	
SIDUR 3401	350	800-1000	30		

Typical values for 15 mm plate thickness

\* orientational value

## TABLES AND GRAPHS

Yield strength comparison





Tabele omogočajo jasnejše izpostavitev vsebine. Bazirajo na horizontalnih, linijskih postavitevah in strukturirano podajajo informacijo. Nizanje vsebine eno pod drugo omogoča bralcu enostavno primerjavo podatkov. Tabele se uporabljajo v tiskovinah (interne revije, letna poročila ... )

Tabele je možno nadgrajevati z uporabo barv ali puščic, ki nakazujejo na rast oz. padanje vrednosti.


**PROMOTIONAL  
MATERIALS CORPO  
LOGO POSITIONING**



## SIZE AND POSITION OF A SIJ AND COMPANY LOGOS



## BRAND LOGOS



**SIMOLD**...

**SIMOLD**...



**SIMOLD**...

**SIMOLD**...

## SIMOLD

### DISPLAY

- color logo
- black logo
- logo negative on black background
- logo negative on color background
- grid layout
- clear space
- grid layout of logo with additional inscriptions





SIDUR™

SIDUR™



## SIDUR

### DISPLAY

- color logo
- black logo
- logo negative on black background
- logo negative on color background
- grid layout
- clear space
- grid layout of logo with additional inscriptions





SITHERM™

SITHERM™

SITHERM™

SITHERM™

## SITHERM

### DISPLAY

- color logo
- black logo
- logo negative on black background
- logo negative on color background
- grid layout
- clear space
- grid layout of logo with additional inscriptions





# SIQUAL™



# SIQUAL™



## SIQUAL

### DISPLAY

- color logo
- black logo
- logo negative on black background
- logo negative on color background
- grid layout
- clear space
- grid layout of logo with additional inscriptions





SICLAD...

SICLAD...

SICLAD...

SICLAD...

## SICLAD

### DISPLAY

- color logo
- black logo
- logo negative on black background
- logo negative on color background
- grid layout
- clear space
- grid layout of logo with additional inscriptions





# SIPREME™

# SIPREME™


# SIPREME™

# SIPREME™

## SIPREME

### DISPLAY

- color logo
- black logo
- logo negative on black background
- logo negative on color background
- grid layout
- clear space
- grid layout of logo with additional inscriptions





# SIHARD™


# SIHARD™




## SIHARD

### DISPLAY

- color logo
- black logo
- logo negative on black background
- logo negative on color background
- grid layout
- clear space
- grid layout of logo with additional inscriptions





# SILABS<sup>...</sup>

# SILABS<sup>...</sup>



# SILABS<sup>...</sup>

# SILABS<sup>...</sup>

## SILABS

### DISPLAY

- color logo
- black logo
- logo negative on black background
- logo negative on color background
- grid layout
- clear space
- grid layout of logo with additional inscriptions





**SINOXX**•••

**SINOXX**•••



**SINOXX**•••

**SINOXX**•••

## SINOXX

### DISPLAY

- color logo
- black logo
- logo negative on black background
- logo negative on color background
- grid layout
- clear space
- grid layout of logo with additional inscriptions





## SIRAPID

### DISPLAY


- color logo
- black logo
- logo negative on black background
- logo negative on color background
- grid layout
- clear space
- grid layout of logo with additional inscriptions

**SIRAPID**...

**SIRAPID**...

**SIRAPID**...

**SIRAPID**...





**SIWATT**...

**SIWATT**...

**SIWATT**...


**SIWATT**...

## SIWATT

### DISPLAY

- color logo
- black logo
- logo negative on black background
- logo negative on color background
- grid layout
- clear space
- grid layout of logo with additional inscriptions





**SIMAXX**•••

**SIMAXX**•••

**SIMAXX**•••

**SIMAXX**•••

## **SIMAXX**

### DISPLAY

- color logo
- black logo
- logo negative on black background
- logo negative on color background
- grid layout
- clear space
- grid layout of logo with additional inscriptions






**CO-EXISTANCE OF BRAND  
LOGOS**




## HORIZONTAL CO-EXISTANCE OF BRAND LOGOS





## VERTICAL CO-EXISTANCE OF BRAND LOGOS



SITHERM

SIMOLD

SI




<b>SIMOLD</b> ...	<b>SIDUR</b> ...	<b>SIPREME</b> ...	<b>SIHARD</b> ...
<b>SICLAD</b> ...	<b>SIWATT</b> ...	<b>SITHERM</b> ...	<b>SIQUAL</b> ...
<b>SIRAPID</b> ...	<b>SINOXX</b> ...	<b>SIMAXX</b> ...	<b>SILABS</b> ...

## CO-EXISTANCE OF BRAND LOGOS ON COLOR BACKGROUNDS

## CO-EXISTANCE OF BRAND LOGOS WITH EXPLANATIONS ON COLOR BACKGROUNDS

<b>SIMOLD</b> ... PLASTIC MOLD STEEL	<b>SIDUR</b> ... WEAR RESISTANT STEEL	<b>SIPREME</b> ... CRITICAL APPLICATION ALLOYS	<b>SIHARD</b> ... COLD WORK TOOL STEEL
<b>SICLAD</b> ... CLAD STEEL	<b>SIWATT</b> ... ELECTRICAL STEEL	<b>SITHERM</b> ... HOT WORK TOOL STEEL	<b>SIQUAL</b> ... QUALITY STEEL
<b>SIRAPID</b> ... HIGH SPEED STEEL	<b>SINOXX</b> ... STAINLESS STEEL	<b>SIMAXX</b> ... HIGH STRENGTH STEEL	<b>SILABS</b> ...



## GRID LAYOUT OF CO-EXISTANCE

**SIMOLD**•••

PLASTIC MOLD STEEL

**SIDUR**•••

WEAR RESISTANT STEEL

**SIPREME**•••

CRITICAL APPLICATION ALLOYS

**SIHARD**•••

COLD WORK TOOL STEEL

**SICLAD**•••

CLAD STEEL

**SIWATT**•••

ELECTRO STEEL

**SITHERM**•••

HOT WORK TOOL STEEL

**SIQUAL**•••

QUALITY STEEL

**SIRAPID**•••

HIGH SPEED STEEL

**SINOXX**•••

STAINLESS STEEL

**SIMAXX**•••

HIGH STRENGHT STEEL

**SILABS**•••



1	2	3	4
SIMOLD ...	SIDUR ...	SIPREME ...	SIHARD ...
5	6	7	8
SICLAD ...	SIWATT ...	SITHERM ...	SIQUAL ...
9	10	11	12
SIRAPID ...	SINOXX ...	SIMAXX ...	SILABS ...

1	2	3	4	5
6	7	8	9	10
11 12				

1	2	3
4	5	6
7	8	9
10	11	12


1	2	3	4
5	6	7	8
9	10	11	12

1	2
3	4
5	6
7	8
9	10
11	12

## GRID LAYOUT AND POSITION OF INDIVIDUAL BRAND IN CO-EXISTANCE




## APPLICATIONS GRID LAYOUT






**sij**

LOREM IPSUM  
DOLOR AMET



## EXAMPLES OF BRANDS GRID USAGE




**QUALITY MARK**



## CORPORATE SLOGAN

sij<sup>•</sup>

LOREM IPSUM  
DOLOR AMET




Croporate slogan is not yet defined.

### PRIKAZ

→ predicted typographical and grid layout for corporate slogan





## THREE DOTS



THREE DOTS REPRESENTES THREE VALUES

CUSTOMISATION, STRIVIN & PROVEN

**sij**Corrosion resistant steels and alloys  
SINOXX | SIPREME | SICLAD**SIPREME<sup>...</sup>**

**SIPREME** nickel alloys are highly corrosion-resistant even in extremely aggressive media and under high temperatures, which gives them a very important role in the processing industry.

There are two types of **SIPREME** nickel alloys: one is distinguished by high-temperature hardness, while the other is used primarily for its corrosion-resistant properties. Both work well in extremely corrosive environments and with aggressive media often replacing stainless steels, since nickel dissolves more alloy elements than iron.



## QUALITY MARK POSITIONING AND USE

**sij**Wear-resistant and high-strength steels  
SIDUR | SIMAXX**sij<sup>•</sup> | group**

SJ is a vertically integrated holding company, the leading steel manufacturer in Slovenia, and one of the largest stainless and special steel manufacturers in Europe. SJ Group consists of the two largest steel companies in Slovenia (SI Acroni and SI Metal Ravne), other manufacturing and processing companies (SI Ravn Systems, SI Ektrode, SI SUZ), specialized service and sales centers across Europe and the USA, and companies for scrap steel collection and sales.

[www.sj.si](http://www.sj.si)

- ● ●
- INCREASE YOUR PRODUCT'S LIFE SPAN**  
The highest steel quality, based on world class production equipment and more than 400 years of experience in steel making
- ● ●
- DECREASE MACHINING COSTS**  
Narrow dimensional tolerances, exceeding international standards
- ● ●
- OPTIMIZE YOUR MANUFACTURING PROCESSES**  
Extensive range of mechanical treatment possibilities to find the best fit for your production process
- ● ●
- EXCEED YOUR CUSTOMERS' EXPECTATIONS**  
Strong in-house R&D Department and broad applied knowledge helps you get the best solutions for your customers' needs

## **BASIC STATIONARY SET**



## BUSINESS CARDS





□ COMPANY NAME  
Street and house number  
Post number and City  
Country, EU

□ 386 1 242 98 00  
✉ info@company.com  
🌐 www.company.com

**RECIPIENT COMPANY**

Recipient person  
Street and house number  
Post number and City  
Country, EU

VAT Number

**Matter:Title**  
**Calibri Bold 13/15**

City, Date 24.05.2016

Subtitle: Calibri Regular 11/15

Content: Calibri Regular 9/15 ...


Lorem ipsum dolor sit amet, consectetur adipiscing elit. Aenean ullamcorper quam id nunc rutrum posuere. Nullam sollicitudin pulvinar accumsan. Donec varius lorem aliquet, mattis nisl non, tincidunt ante. In vitae leo lectus. Etiam sollicitudin tellus ut massa pharetra iaculis. Nam scelerisque nulla nec neque porttitor iaculis. Phasellus vehicula lacus vel ligula porta, vitae varius mauris fringilla. Aliquam erat volutpat. Praesent id justo diam. Fusce consectetur lobortis convallis. Vestibulum ultrices nulla ante, mattis pulvinar odio bibendum ac. Donec imperdiet vel sapien quis vulputate.

Our new brands at [sij.si/brands](#) • • •

## PROMOTIONAL MATERIALS




## BRANDS GROUPS CATALOGUES



**sij<sup>®</sup>**

SU Group  
Gerbčeva 98  
1000 Ljubljana  
[www.sij.si](http://www.sij.si)

Corrosion resistant steels and alloys  
SINOXX | SIPREME | SICLAD



**sij<sup>®</sup>**

SU Group  
Gerbčeva 98  
1000 Ljubljana  
[www.sij.si](http://www.sij.si)

Tool steels  
SIMOLD | SITHERM | SIHARD | SIRAPID



**sij<sup>®</sup>**

Wear-resistant and high-strength steels  
SIDUR | SIMAXX





SU is a vertically integrated holding company, the leading steel manufacturer in Slovenia, and one of the largest stainless and special steel manufacturers in Europe. SU Group consists of the two largest steel companies in Slovenia (SU Acroni and SU Metal Ravne), other manufacturing and processing companies (SU Ravne Systems, SU Elektrode, SU SZU), specialized service and sales centers across Europe and the USA, and companies for scrap steel collection and sales.

[www.sij.si](http://www.sij.si)



#### INCREASE YOUR PRODUCT'S LIFE SPAN

The highest steel quality, based on world class production equipment and more than 400 years of experience in steel making

#### DECREASE MACHINING COSTS

Narrow dimensional tolerances, exceeding international standards

#### OPTIMIZE YOUR MANUFACTURING PROCESSES

Extensive range of mechanical treatment possibilities to find the best fit for your production process

#### EXCEED YOUR CUSTOMERS' EXPECTATIONS

Strong in-house R&D Department and broad applied knowledge helps you get the best solutions for your customers' needs



**SINOXX™**



SINOXX represents a family of corrosion-resistant steels that contain at least 10.5% of chromium. These steels are also alloyed with nickel, molybdenum, titanium, niobium and other elements. Their mechanical properties and application depend on their chemical composition. The careful choice of the correct steel grade affects the durability and serviceability of a manufactured product.

SINOXX products, produced by SU Group companies, are used in even the most demanding environments and applications in the following industries:

- Oil and gas
- Chemical and petrochemical
- Pulp and paper
- Energy
- Desalination
- Mining
- Automotive
- Household appliances
- Furniture
- Machinery and equipment

**AUSTENITIC STAINLESS STEEL (γ - iron)**  
Austenitic stainless steels are characterized by good to excellent corrosion resistance combined with very good weldability and formability. The austenitic structure has good creep and oxidation resistance which makes it useful at elevated temperatures. Austenitic steel can also be used in cryogenic applications, and in the annealed condition it is the only non-magnetic steel.



**DUPLEX STAINLESS STEEL (Austenitic-ferrite)**  
Duplex stainless steels have high strength, good toughness and very good corrosion resistance, especially toward stress corrosion cracking and corrosion fatigue. These steels also have good weldability and reasonable formability.



**FERRITIC - MARTENSITIC STAINLESS STEEL (α - iron)**  
Ferritic-martensitic stainless steels have good corrosion resistance, especially toward stress corrosion cracking. A lower carbon and nitrogen content improves both weldability and toughness, which otherwise can be limited.



STEEL GRADES	SU DESIGNATION	W.N.R. NUMBER	DESIGNATION AISI/ ASTM	DESIGNATION EN	DESIGNATION GOST	QUARTO	HOT AND COLD PLATES AND SHEETS	FORGED AND ROLLED COILS ROLLED BARS	COLD DRAWN / GROUND BARS	COLD DRAWN WIRE	WELDING CONSUMABLES*	OLD DESIGNATION METAL RAVNE
<b>AUSTENITIC</b>	SINOXX 4301	1.4301	304	X5CrNi18-10	12X18H9	*	*	*	*	*	*	PK11EX
	SINOXX 4305	1.4305	303	X8CrNiS18-9		*	*	*	*	*	*	PK11S
	SINOXX 4306	1.4306	304L	X2CrNi19-11	06X18H11	*	*	*	*	*	*	
	SINOXX 4307	1.4307	304L	X2CrNi19-9	04X18H10	*	*	*	*	*	*	
	SINOXX 4307 easy mill	304L				*	*	*	*	*	*	
	SINOXX 4310	1.4310	301	X12CrNi17-7		*	*	*	*	*	*	PK11VZ
	SINOXX 4311	1.4311	304LN	X2CrNiN18-10		*	*	*	*	*	*	
	SINOXX 4315	1.4315	304N	X5CrNiN19-9		*	*	*	*	*	*	
	SINOXX 4541	1.4541	321	X6CrNiTi18-10	08X18H10T	*	*	*	*	*	*	PK11SP
	SINOXX 4550	1.4550	347 / 347 H	X6CrNiN18-10	08X18H12B	*	*	*	*	*	*	PK11NB
	SINOXX 4678	1.4678	321H	X8CrNiTi18-10	12X18H10T	*	*	*	*	*	*	
	SINOXX 4948	1.4948	304H	X5CrNi18-10		*	*	*	*	*	*	
<b>AUSTENITIC WITH MO</b>	SINOXX 5451			12X18H9T		*	*	*	*	*	*	
	SINOXX 5456			08X18H10		*	*	*	*	*	*	
	SINOXX 5465			03X18H11		*	*	*	*	*	*	
	SINOXX 5464			08X18H12T		*	*	*	*	*	*	
	SINOXX 5463			12X18H12T		*	*	*	*	*	*	
	SINOXX 5462			03X18H10T		*	*	*	*	*	*	
	SINOXX 5461			05X18H10T		*	*	*	*	*	*	
	SINOXX 4401	1.4401	316	X5CrNiMo17-12-2		*	*	*	*	*	*	PK12
	SINOXX 4404	1.4404	316L	X2CrNiMo17-12-2		*	*	*	*	*	*	PK12 (+S)
	SINOXX 4404 easy mill	316L				*	*	*	*	*	*	
	SINOXX 4432	1.4432	316L	X2CrNiMo17-12-3		*	*	*	*	*	*	
	SINOXX 4435	1.4435	316L	X2CrNiMo18-14-3	03X17H14M3	*	*	*	*	*	*	PK327
	SINOXX 4436	1.4436	316L	X3CrNiMo17-13-3		*	*	*	*	*	*	
	SINOXX 4441	1.4441	316LN	X2CrNiMo18-15-3		*	*	*	*	*	*	PK332
	SINOXX 4429	1.4429	316LN	X2CrNiMo17-13-3		*	*	*	*	*	*	
	SINOXX 4919	1.4919	316H			*	*	*	*	*	*	
	SINOXX 4560	1.4560	316Cb	X5CrNiMoNb17-12-2		*	*	*	*	*	*	PK12NB
	SINOXX 5571			08X21H6M2T		*	*	*	*	*	*	
<b>HEAT RESISTANT</b>	SINOXX 4628	1.4828	309	X15CrNiS20-12		*	*	*	*	*	*	PK15
	SINOXX 4833	1.4833	309 / 309S / 309H	X12CrNi23-13		*	*	*	*	*	*	
<b>AUSTENITIC</b>	SINOXX 4835	1.4835	UNS S 30815	X9CrNiSiNc21-11-2		*	*	*	*	*	*	
	SINOXX 4841	1.4841	314 / 310	X15CrNiS25-21		*	*	*	*	*	*	PK19
	SINOXX 4845	1.4845	310 / 310S / 310H	X8CrNiS25-21	20X23H18	*	*	*	*	*	*	
	SINOXX 4864	1.4864	330	X12NiCrS6-16		*	*	*	*	*	*	PK20
<b>HEAT RESISTANT FERRITIC</b>	SINOXX 4713	1.4713		X10CrAlSi7		*	*	*	*	*	*	X10CrAl7
	SINOXX 4724	1.4724	405	X10CrAlSi13		*	*	*	*	*	*	PK924
	SINOXX 4742	1.4742		X10CrAlSi18		*	*	*	*	*	*	PK925
	SINOXX 4746	1.4746				*	*	*	*	*	*	
	SINOXX 4749	1.4749				*	*	*	*	*	*	
	SINOXX 4762	1.4762	446	X10CrAlSi25		*	*	*	*	*	*	PK10



**SU STEEL SERVICE AND PROCESSING DIVISION**

At the SU Group we make our customers the focus of our everyday activities, so we are constantly looking for ways to get closer to our customers, to understand their needs and to improve our services to best meet their demands. The SU Steel Service and Processing Division is oriented toward professional service, quick delivery and a high level of flexibility. Located in key markets, the SU Steel Service and Processing Division member companies offer technical support and services such as cutting, surface grinding, edge preparation, straightening and shearing. When quick delivery and reliable professional service are required, the SU Steel Service and Processing Division companies are your answer.

**CUSTOM MADE SHAPES, HIGH FLEXIBILITY, QUICK DELIVERY**





SIMOLD<sup>...</sup>

**SIMOLD<sup>...</sup>**



SIMOLD tool steel is intended for the manufacture of different moulds for plastics, synthetic resins and rubber moulding. Backing parts of plastic injection moulding tools are made of SIMOLD tool steel alloyed with sulphur, added to increase their machinability. SIMOLD brand steel, alloyed with chromium (above 12% Cr), is characterised by its excellent corrosion resistance, thus placing this in the category of so-called corrosion-resistant tool steels. The SIMOLD brand of tool steel is installed in a wide variety of tools within an extremely broad industrial spectrum. During use they are exposed to pressure, wear and even corrosion under certain conditions. Extreme (long) durability confirms the excellent quality of our SIMOLD brand steel.

#### CHEMICAL COMPOSITION


SU GRADE	CHEMICAL COMPOSITION (MAS.%)								ACHIEVED		
	W. NR.	C	Si	Mn	Cr	Mo	Ni	V	W	Others	HARDNESS
SIMOLD 2083	1.2083	0,46	max 1,0	max 1,0	13,5	/	/	/	/	/	55 - 57 HRC
SIMOLD 2085	1.2085	0,35	0,4	0,45	16	/	/	/	/	0,070	45 - 51 HRC
SIMOLD 2311	1.2311	0,4	0,3	1,45	1,95	0,2	/	/	/	/	52 HRC
SIMOLD 2312	1.2312	0,4	0,4	1,5	1,9	0,2	/	/	/	0,070	51 HRC
SIMOLD 2738	1.2738	0,4	0,3	1,4	1,9	0,2	1	/	/	/	52 HRC

#### PRODUCT RANGE

SU GRADE	plate	square sections	flat sections	round bars	forgings	welding wire	electrodes
SIMOLD 2083	*	*	*	*	*	*	*
SIMOLD 2085	*	*	*	*	*	*	*
SIMOLD 2311	*	*	*	*	*	*	*
SIMOLD 2312	*	*	*	*	*	*	*
SIMOLD 2738	*	*	*	*	*	*	*

#### DIMENSIONAL RANGE

plates	thickness 15 – 100 mm; width 1.000 – 2.500 mm; length 4.000 – 12.000 mm
square sections	up to 1000 mm
flat sections	up to 1500 x 600 mm
round bars	up to Ø 1000 mm



SIHARD<sup>...</sup>

**SIHARD<sup>...</sup>**



The SIHARD brand steels are adapted for machining and cutting metal, wood and synthetic materials and have the characteristics of dimensional stability, high compressive strength and required toughness, considering their intended use. The adjusted chemical composition and processing technology provides SIHARD brand steel with the necessary resistance to adhesion, abrasion, cut-edge fragmentation, the possibility of nitration, hard PVD and EDM coatings.

SIHARD brand steels are used for cyclically loaded tools such as: punches, presses, die inserts for the compaction of powders, knives/blades, forging, rolling and deep drawing tools.

#### CHEMICAL COMPOSITION

SU GRADE	CHEMICAL COMPOSITION (MAS.%)								ACHIEVED	
	W. NR.	C	Si	Mn	Cr	Mo	Ni	V	W	HARDNESS
SIHARD 2316	1.4122	0,39	max 1,0	max 1,50	17	1,05	max 1,0	/	/	49 HRC
SIHARD 2357	1.2357	0,5	0,3	0,6	3,3	1,5	/	0,2	/	59-61 HRC
SIHARD 2363	1.2363	1	0,3	0,55	5,2	1,05	/	0,2	/	63 HRC
SIHARD 2379	1.2379	1,55	0,25	0,3	11,5	0,7	/	1	/	62-64 HRC
SIHARD 2510	1.2510	0,95	0,25	1,1	0,6	/	/	0,1	0,6	64 HRC
SIHARD 2631	1.2631	0,5	0,9	0,5	8,5	1,2	/	/	1,25	/
SIHARD 2767	1.2767	0,45	0,25	0,3	1,35	0,25	4	/	/	56 HRC
SIHARD 2842	1.2842	0,9	0,25	2	0,35	/	/	0,1	/	63-65 HRC

#### PRODUCT RANGE

SU GRADE	plate	square sections	flat sections	round bars	forgings	welding wire	electrodes
SIHARD 2316	/	*	*	*	*	*	/
SIHARD 2357	/	*	*	*	*	*	*
SIHARD 2363	/	*	*	*	*	*	*
SIHARD 2379	/	*	*	*	*	*	*
SIHARD 2510	/	*	*	*	*	*	/
SIHARD 2631	/	*	*	*	*	*	*
SIHARD 2767	/	*	*	*	*	*	*
SIHARD 2842	/	*	*	*	*	*	*

#### DIMENSIONAL RANGE

square sections	up to 400 mm
flat sections	up to 1000 x 400 mm
round bars	up to Ø 600 mm




**SITHERM<sup>...</sup> S360R**

Due to its enhanced mechanical properties, high hardness, exceptional toughness and wear resistance, SITHERM S360R steel is used in a variety of industrial applications.


SU GRADE	AISI	W. Nr.	C	Si	Mn	Cr	Mo	V	Ni
SITHERM S360R	/	/	0,52	0,25	0,3	4,8	3	0,6	0,6

R...remelted

#### TOUGHNESS



#### QUALITATIVE COMPARISON



sij<sup>.</sup> | group



BEST THINGS IN THE WORLD  
CONTAIN SLOVENIAN STEEL



## INVITATION/LEAFLET

The invitation features a photograph of St. Basil's Cathedral in Moscow, Russia, with three colored squares overlaid: a pink square for SICLAD, a green square for SINOXX, and a purple square for SIPREME. Below the image, the text reads:

22<sup>nd</sup> International Industrial Exhibition  
**METAL EXPO**  
8—11. NOVEMBER | MOSCOW, RUSSIA

**sij**  
Corrosion resistant steels and alloys  
SINOXX | SIPREME | SICLAD

SICLAD<sup>™</sup>  
CLAD STEEL

SINOXX<sup>™</sup>  
STAINLESS STEEL

SIPREME<sup>™</sup>  
CRITICAL APPLICATION ALLOYS




## BRANDS NOTEBOOK - INNER PAGES

The image displays a spread of four notebook pages, each featuring a different brand logo and a series of horizontal lines for writing.

- SIMOLD...**  
PLASTIC MOLD STEEL
- SIQUAL...**  
QUALITY STEEL
- SINOXX...**  
STAINLESS STEEL
- sij'**  
✉ www.ourbrands.sij.si    ① info@ourbrands.sij.si



## BRANDS NOTES

**sij**[www.ourbrands.sij.si](http://www.ourbrands.sij.si)[info@ourbrands.sij.si](mailto:info@ourbrands.sij.si)**sij**[www.ourbrands.sij.si](http://www.ourbrands.sij.si)[info@ourbrands.sij.si](mailto:info@ourbrands.sij.si)**SIRAPID**

HIGH SPEED STEEL



**sij**[www.ourbrands.sij.si](http://www.ourbrands.sij.si)[info@ourbrands.sij.si](mailto:info@ourbrands.sij.si)**SICLAD**

CLAD STEEL

**sij**[www.ourbrands.sij.si](http://www.ourbrands.sij.si)[info@ourbrands.sij.si](mailto:info@ourbrands.sij.si)




## SIJ BRAND PROMOTION PAPER BAG





## BRANDS PROMOTIONAL PAPER BAG






## INDIVIDUAL BRAND PROMOTIONAL PAPER BAG - POSITIONING








## ROLL-UP STAND





**sij** | LOREM IPSUM  
DOLOR AMET

• • •



**sij** | LOREM IPSUM  
DOLOR AMET

• • •





**SIDUR™**

WEAR RESISTANT STEEL



**SIDUR ipsum dolor sit amet, consectetur non scelerisque risus, sit amet fringilla an. ipsum primis in faucibus orci luctus et ultir lorem; Nullam sollicitudin suscipit pellent.**

Lorem ipsum dolor sit amet, consectetur adipiscing elit. amet fringilla ante. Vestibulum ante ipsum primis in fauci posuere cubilia Curae; Nullam sollicitudin suscipit pellent porta arcu, nec maximus dolor luctus vel. Aenean vel met tellus. Nullam quis orci et ligula ultrices bibendum nec.

Lorem ipsum dolor sit amet, consectetur adipiscing elit. amet fringilla ante. Vestibulum ante ipsum primis in fauci posuere cubilia Curae; Nullam sollicitudin suscipit pellent porta arcu, nec maximus dolor luctus vel. Aenean vel met tellus. Nullam quis orci et ligula ultrices bibendum nec.

**sij'**

LOREM IPSUM  
DOLOR AMET



**sij'**

LOREM IPSUM  
DOLOR AMET



**SIQUAL ipsum dolor sit amet, consectetur non scelerisque risus, sit amet fringilla an. ipsum primis in faucibus orci luctus et ultir lorem ipsum dolor sit amet utilis vialis lor; Nullam sollicitudin suscipit pellent.**

Lorem ipsum dolor sit amet, consectetur adipiscing elit. amet fringilla ante. Vestibulum ante ipsum primis in fauci posuere cubilia Curae; Nullam sollicitudin suscipit pellent porta arcu, nec maximus dolor luctus vel. Aenean vel met tellus. Nullam quis orci et ligula ultrices bibendum nec. Lorem ipsum dolor sit amet, consectetur adipiscing elit. amet fringilla ante. Vestibulum ante ipsum primis in fauci posuere cubilia Curae; Nullam sollicitudin suscipit pellent porta arcu, nec maximus dolor luctus vel. Aenean vel met tellus. Nullam quis orci et ligula ultrices bibendum nec.

	VROČE IN HLADNO VALJANI TRAKOVI	VROČE IN HLADNO VALJANE PLOŠČE
debelina (mm)	1,0–6,0	1,0–6,0
širina (mm)	1000	1000
dolžina (mm)		2000–6000*
teža (kg/mm širine)	teža kolobarjev 6–8	







SU Group  
Gerbičeva 98  
1000 Ljubljana  
[www.sij.si](http://www.sij.si)

sij<sup>®</sup>

Corrosion resistant steels and alloys  
SINOXX | SUPREME | SICLAD



## PROMOTIONAL MAPS






## PROMOTIONAL HATS





## PROMOTIONAL T-SHIRTS



**WEB PRESENCE**



## WWW.SIJ.SI HEADER

The screenshot shows the top header area of the website. At the top left is the 'sij' logo followed by '| group'. To the right are links for B2B, KONTAKTI, SIJ SPLETNA MESTA, EN, SI, and DE. A search bar with placeholder text 'Išči šo spletnih mestih sij.si ...' and a magnifying glass icon is positioned above a navigation menu. The menu items include DRUŽBA (highlighted in blue), PROIZVODI, STORITVE, INDUSTRIJE, PRODAJNA MREŽA, and NOVICE IN MEDJI. Below the menu is a large banner featuring a dark background image of industrial pipes and the text 'SIRAPID™' in white. To the right of the banner is a text box containing the message: 'Ponosni da vam lahko predstavimo in ustvarjamo ourbrands.sij.si'. At the bottom of the header, there is a section titled 'VIZIJA IN STRATEGIJA SKUPINE SIJ' with two columns of text.

**VIZIJA SKUPINE SIJ**

Vizija skupine SIJ je nadaljevati našo usmerjenost v stalno izboljšanje tehnologije proizvodnih procesov in logističke ter intenzivno graditi lastno prodajno mrežo za ohranitev in povečanje tržnega deleža v EU in drugod po svetu. Še dalje si bomo prizadevali za trajnostni razvoj in rast tako podjetja kot tudi zaposlenih. Skupina SIJ je zaupanja vreden partner, kar so prepoznali tudi naši poslovni partnerji in kupci.

Naš osrednji cilj je, da skupina SIJ postane vertikalno integrirana skupina, ki zagotavlja visokotehnološke jeklene proizvode po meri končnih uporabnikov.

Ključni cilji, ki jim bomo sledili v naslednjih desetih letih, so povezani s povečevanjem proizvodnje in prodaje nerjavne in speciale debele pličevine, s čimer bomo ohranili vodilni položaj na evropskem trgu v našem krovnem proizvodnji programu. Na programu visoko specializiranih in mehansko obdelanih visoko legiranih orodnih ter specialnih jekel želimo postati opaznejši in pomembnejši igralec na evropskem trgu. Za oba programa pa želimo povečati tudi delež na ameriškem trgu.

*Glavno vodilo ostaja usmeritev v zadovoljstvo kupcev, partnerjev in zaposlenih, mednarodno potrditev in večanje konkurenčne sposobnosti ter varovanje okolja.*





The screenshot shows the homepage of the [sij.si/brands](http://sij.si/brands) website. At the top, there is a navigation bar with links for B2B, KONTAKTI, SIJ SPLETNA MESTA, EN, SI, and DE. Below the navigation is the main header "sij|group". A search bar is located at the top right. The main content area features a grid of brand names: SIMOLD™, SIDUR™, SIPREME™, SIHARD™; SICLAD™, SIWATT™, SITHERM™, SIQUAL™; and SIRAPID™, SINOXX™, SIMAXX™. To the right of the grid, a text box reads: "Ponosni da vam lahko predstavimo in ustvarjamo ourbrands.sij.si". Below this, a section titled "VIZIJA IN STRATEGIJA SKUPINE SIJ" contains two columns of text. The left column, under "VIZIJA SKUPINE SIJ", discusses the company's vision and strategy. The right column, under "Glavno vodilo ostaja usmeritev v zadovoljstvo kupcev, partnerjev in zaposlenih, mednarodno potrditev in večanje konkurenčne sposobnosti ter varovanje okolja." It also mentions the company's goals for becoming a vertical integrated group providing high-tech jeklene products to final consumers.

0100



[BACK TO CONTENTS](#)




## WEB BANNER




0101




[BACK TO CONTENTS](#)







**SINOXX™**  
STAINLESS STEEL

**sinoxx™**  
LESS STEEL





## E-MAIL SIGNATURE





**MARKETING**



## PRODUCT BRAND AD



### SINOXX – NERJAVNA JEKLA

*Lorem ipsum dolor sit amet, consectetur adipiscing elit. Fusce eu velit nec ex tincidunt eleifend at vitaels magna. Aliquam conallis sem eget vulputate pulvinar. Quisque feugiat sem sit amet purus mattis, sit amet ori acinia mauris mollis. Phasellus lacus ante, imdiet ac malesuada at, varius a orci. Donec eu hendrerit felis altili. Phasellus ut ligula nisl. Duis sodales sapien eget elit dapibus, vitae dignissim ligula convallis.*

**sij** | LOREM IPSUM  
DOLOR AMET



### SINOXX – NERJAVNA JEKLA

*Lorem ipsum dolor sit amet, consectetur adipiscing elit. Sed in volutpat eros. Vestibulum vehicula felis sit amet neque vesti, et aliquam lectus bibendum. Mauris mattis libero rhoncus pellentesque iaculis. Ut at faucibus lectus. Aenean finibus elit emo suscipit luctus. Phasellus non aliquam urna. Vestibulum id metus nibh. Quisque ut vroče in hladno valjana jekla.*

#### VROČE IN HLAĐENO VALJANA JEKLA

	VROČE IN HLAĐENO VALJANI TRAKOVI	VROČE IN HLAĐENO VALJANE PLOŠČE
debelina (mm)	1,0–6,0	1,0–6,0
širina (mm)	1000	1000
dolžina (mm)		2000–6000*
teža (kg/mm širine)	teža kolobarjev 6–8	

\*Lorem ipsum dolor sit amet, consectetur adipiscing elit. Fusce eu velit nec ex tincidunt eleifend at vitaels neque magna. Aliquam conallis sem eget vulputate pulvinar. Quisque feugiat sem sit amet purus mattis, sit amet ori acinia mauris mollis. Phasellus lacus ante, imdiet ac malesuada at, varius a orci. Donec eu hendrerit felis altili. Phasellus ut ligula nisl. Duis sodales sapien eget elit dapibus, vitae dignissim ligula convallis.

**sij** | LOREM IPSUM  
DOLOR AMET



**SINOXX™**


**SINOXX — NERJAVNA JEKLA**

*lorem ipsum dolor sit amet, consectetur adipiscing elit. Fusce eu velit nec ex tincidunt eleifend at vitaels magna. Aliquam conallis sem eget vulputate pulvinar. Quisque feugiat sem sit amet purus mattis, sit amet ori acimia piauris mollis. Phasellus lacus ante, imdlet ac malesuada at, varius a orci. Donec eu hendrerit felis altilli, phasellus ut ligula nisl. Duis sodales sapien eget elit dapibus, vitae dignissim ligula convallis.*

**sij** LOREM IPSUM  
DOLOR AMET



## MULTIPLE BRAND PRODUCT AD



### ULTRA OBSTOJNA JEKLA

*Lorem ipsum dolor sit amet, consectetur adipiscing elit. Fusce eu velit nec ex tincidunt eleifend at vitaels magna. Aliquam conallis sem eget vulputate pulvinar. Quisque feugiat sem sit amet purus mattis, sit amet ori acinia mauris mollis. Phasellus lacus ante, imdiet ac malesuada at, varius a orci. Donec eu hendrerit felis altili. Phasellus ut ligula nisl. Duis sodales sapien eget elit dapibus, vitae dignissim ligula convallis.*

**sij'** | LOREM IPSUM  
DOLOR AMET



### ULTRA OBSTOJNA JEKLA

*Lorem ipsum dolor sit amet, consectetur adipiscing elit. Sed in volutpat eros. Vestibulum vehicula felis sit amet neque vestili, et aliquam lectus bibendum. Mauris mattis libero rhoncus pellentesque laculis. Ut at faucibus lectus. Aenean finibus elit emo suscipit luctus. Phasellus non aliquam urna. Vestibulum id metus nibh. Quisque ut vroče in hladno valjana jekla.*

#### VROČE IN HLADNO VALJANA JEKLA

	VROČE IN HLADNO VALJANI TRAKOVI	VROČE IN HLADNO VALJANE PLOŠČE
debelina (mm)	1,0–6,0	1,0–6,0
širina (mm)	1000	1000
dolžina (mm)		2000–6000*
teža (kg/mm širine)	teža kolobarjev 6–8	

\*Lorem ipsum dolor sit amet, consectetur adipiscing elit. Fusce eu velit nec ex tincidunt eleifend at vitaes magna. Aliquam conallis sem eget vulputate pulvinar. Quisque feugiat sem sit amet purus mattis, sit amet ori acinia mauris mollis. Phasellus lacus ante, imdiet ac malesuada at, varius a orci. Donec eu hendrerit felis altili. Phasellus ut ligula nisl. Duis sodales sapien eget elit dapibus, vitae dignissim ligula convallis.

malesuada porttitor purus, a aliquam enim pulvinar id. Vestibulum euismod hendrerit neque. Maecenas commodo, risus a elementum dictum, orci magna consequat libero, pharetra fermentum turpis nunc nec nisi. Proin vulputate odio quis faucibus porttitor. Donec dignissim nisi ut semper fermentum. Pellentesque ut sapien id massa elementum.

**sij'** | LOREM IPSUM  
DOLOR AMET



**SINOLD...**

**SITHERM...**  
Your better tool mate

**SIHARD...**  
COLORFUL INDUSTRIES

**SIRAPID...**  
WITH SPECIFICITIES

## ULTRA OBSTOJNA JEKLA

Vroči in hladni valjani trakovi  
Vroči in hladni valjane plošče

dolžina (m)	širina (mm)	zaloma (mm)	teža (kg/mm širine)
1,0–6,0	1000	teža kolobarjev 6–8	1,0–6,0
			1000
			2000–6000*

**sijj** / LOREM IPSUM  
DOLOR AMET



## TRANSPORTATION



### DISPLAY

- All brands logos on silver background
- All brands logos in color on white background

**DISPLAY**

- Multiple brands logos (in this case tool steel brands) on white background with photo that connect brands
- Single brand on brand color background with photo that represents the brand.



**BRANDS LOGOS USAGE ON  
EXTERNAL PARTNERS AND  
PROMOTORS MATERIALS**



## ALLOWED BRANDS LOGOS USAGE IN EXTERNAL APPEARANCE



# DELO



© cankarjev dom

## CLEAR SPACE IN EXTERNAL APPEARANCE



# DELO



© cankarjev dom





# DELO



 europakat

© cankarjev dom





# DELO



© cankarjev dom

 europakat



## NON-PERMITTED USAGE ON EXTERNAL MATERIALS